


Getttech®

**FG500WBX
(PS500W)**

POWER SUPPLY
FUENTE DE ALIMENTACIÓN


ATX 500W



**USER MANUAL
MANUAL DE USUARIO**

GARANTÍA E INFORMACIÓN DEL PRODUCTO WARRANTY AND PRODUCT INFORMATION

These terms shall be governed and construed under laws of the jurisdiction in which the product was purchased, if any term here is held to be invalid or unenforceable, the such term (in so far as it is invalid or unenforceable) shall be given no effect and deemed to be excluded without invalidating an of the remaining terms. Getttech reserves the right to amend any term at any time without notice.



Estos términos se registrarán e interpretarán de acuerdo con las leyes de la jurisdicción en la que se compró el producto, si alguno de los términos en este documento se considera inválido o inaplicable, dicho término (en la medida en que sea inválido o inaplicable) no tendrá efecto y se considerará excluido sin invalidar ninguno de los términos restantes. Getttech se reserva el derecho de modificar cualquier término en cualquier momento sin previo aviso.

Format / Formato:

ATX 12V

Material:

SECC Steel 0.5 mm / Acero SECC 0.5 mm

Watts / Vatios:

500W

Connectors / Conectores:

24 pin / 12V 4 pin / SATA (2) / IDE (2)

24 pines / 12V 4 pines / SATA (2) / IDE (2)

Size / Tamaño:


3.38 in * 5.90 in * 5.51 in
86 mm * 150 mm * 140 mm



**FG500WBX
(PS500W)**

POWER SUPPLY
FUENTE DE ALIMENTACIÓN

ATX 500W




**USER MANUAL
MANUAL DE USUARIO**

**GARANTÍA E INFORMACIÓN DEL PRODUCTO
WARRANTY AND PRODUCT INFORMATION**

These terms shall be governed and construed under laws of the jurisdiction in which the product was purchased, if any term here is held to be invalid or unenforceable, the such term (in so far as it is invalid or unenforceable) shall be given no effect and deemed to be excluded without invalidating an of the remaining terms. Getttech reserves the right to amend any term at any time without notice.

Estos términos se regirán e interpretarán de acuerdo con las leyes de la jurisdicción en la que se compró el producto, si alguno de los términos en este documento se considera inválido o inaplicable, dicho término (en la medida en que sea inválido o inaplicable) no tendrá efecto y se considerará excluido sin invalidar ninguno de los términos restantes. Getttech se reserva el derecho de modificar cualquier término en cualquier momento sin previo aviso.



Format / Formato:
ATX 12V
Material:
SECC Steel 0.5 mm / Acero SECC 0.5 mm
Watts / Vatios:
500W
Connectors / Conectores:
24 pin / 12V 4 pin / SATA (2) / IDE (2)
24 pines / 12V 4 pines / SATA (2) / IDE (2)
Size / Tamaño:
3.38 in * 5.90 in * 5.51 in
86 mm * 150 mm * 140 mm

WE REQUIRE PRE-PRODUCTION SAMPLES IN ALL OUR ARTWORKS. IF THE SUPPLIER FAILS TO PRODUCE AN ACCEPTABLE SAMPLE WE MAY REQUEST A FULL REFUND.

140*105mm